

Ntsebo Mkhize

From: Ashantia Nerissa Pillay <Nerissa.Pillay@kznwildlife.com>
Sent: 03 April 2023 13:59
To: Ntsebo Mkhize(Terratest)
Cc: Janine Cumberledge (Terratest); Nolwazi Nkosi
Subject: RE: BASIC ASSESSMENT PROCESS_ PROPOSED RE-ALIGNMENT OF THE P608- D604, GREATER KOKSTAD MUNICIPALITY

Good day Ntsebo,

Thank you for your email. Please ensure that the hardcopy report is provided to our offices for review and comment, upon availability. Should you wish to provide a USB instead, kindly ensure that it is accompanied with a cover letter.

Should you have any queries or require any assistance regarding the above, please do not hesitate to contact our offices.

Best Regards

*A. Nerissa Pillay
Principal Planner
Conservation Planning: IEM
Ezemvelo KZN Wildlife
1 Peter Brown Drive
P.O. BOX 13053
Cascades
3200*

Telephone: (033) 845 1917
Fax: (033) 845 1499
email: nerissa.pillay@kznwildlife.com

Please note that we do not accept emailed applications or transfer links except under exceptional circumstances. Please contact this office for a copy of our Protocols for submitting applications.



From: Ntsebo Mkhize(Terratest) <MkhizeN@terratest.co.za>
Sent: Monday, April 3, 2023 10:23 AM
Cc: Janine Cumberledge (Terratest) <CumberledgeJ@terratest.co.za>
Subject: BASIC ASSESSMENT PROCESS_ PROPOSED RE-ALIGNMENT OF THE P608- D604, GREATER KOKSTAD MUNICIPALITY

Dear Interested and Affected Party

Terratest (Pty) has been appointed as the Environmental Assessment Practitioner for the above-mentioned project of the KwaZulu Natal Department of Transport. The attached Notification Sheet provides further details on the project as well as the background to the Basic Assessment process required for the project.

We'd like to afford your organisation with an opportunity to provide comments on the project during the current initial notification phase. The comments will be included in the Draft Basic Assessment Report, which you'll also be provided with an opportunity to provide comments on. Kindly revert back to us by no later than Friday **12th of May2023**. In the absence of your comments, we'll assume that your organisation has no comments under the current initial notification phase.

We are available to provide you with any further information on the project to allow for your full participation.

Regards,

Ntsebo Mkhize
Senior Environmental Assessment Practitioner



Tel: +27 33 343 6789 | Fax: +27 33 343 6788
Email: MkhizeN@terratest.co.za | Web: <http://www.terratest.co.za>
6 Pin Oak Avenue, Hilton, Pietermaritzburg, 3201, KwaZulu-Natal, South Africa
, 3245, South Africa

Terratest is a level 2 B-BBEE contributor and is ISO 9001:2015 certified for its full range of services
Please consider the environment before printing this email
Email Legal Notice: <http://www.terratest.co.za/emailpolicy.pdf>