

STAKEHOLDER MEETING MINUTES

PROJECT: KWAHLOKOHLOKO WATER SUB-SUPPLY AREA 1 (SSA1) PHASE 2, KING CETSHWAYO DISTRICT MUNICIPALITY, KWAZULU-NATAL		
Venue: uMlalazi Local Municipality offices, Eshowe	Date: 30 May 2022	Time: 09:00-10:00

Note- All proceeding were undertaking in isiZulu and translations were undertaken by EAP

ATTENDEES

Name and Surname	Organisation and Designation
ClIr M Dladla	Ward 9 ClIr and Chiefwhip
ClIr MD Dladla	Ward 14 and Mpehlela Tribal Authority representative
ClIr BXS Ntombela	Ward 10 ClIr
ClIr T. Mdlalose	Ward 26 ClIr and Mpehlela Tribal Authority representative
ClIr M.M Ngema	Ward 27 ClIr, Deputy Mayor and Mpehlela Tribal Authority representative
Natalie Boucher	Ground Africa Consulting Geotechnical Engineers, Administrator
Zanele Mthembu	Luzali Holdings, ISD Consultant
Ntsebo Mkhize	Terratest (Pty) Ltd: Senior Environmental Assessment Practitioner

APOLOGIES

None

MINUTES COMPILED BY:

Ntsebo Mkhize, Terratest (Pty) Ltd: Senior Environmental Assessment Practitioner

1. Welcome and apologies

- ClIr Dladla opened the meeting and welcomed all in attendance
- ClIr Ntombela opened the meeting with prayer.

2. Introductions

A round of introductions as well as roles on the project were shared

3. Purpose of Meeting

To obtain comments of meeting attendees and plan for community notification about the project

4. Discussions

- 4.1. Zanele Mthembu presented the proposed project scope and shared aerial images showing the proposed pipeline route and location of the proposed reservoir. She added that the project was at a feasibility stage and has a history of stoppages, the pipe is proposed to run from Kwahlokhloko to Mpehlela and then to K4. Stated that there would be different project team members with various roles, environmental and social (i.e. population counts and skills audits)
- 4.2. Based on the project location discussions, it was agreed that the project will not impact on Ward 14 which falls under the Mzimela Tribal Authority but will impact on all other wards
- 4.3. Cllr Ngema raised a concern about how the K4 was completed but is not working and it's possible that the condition of the current pipe is poor
- 4.4. Cllr T. Mdlalose mentioned the issue of a reservoir in Ward 27 that was constructed but is not operational and angers community members
- 4.5. Zanele Mthembu stated that for her scope of work, a project steering Committee (PSC) would need to be established and she proposes two(2) members per ward. She added that there will be fieldwork, by locals, that will be undertaken over a period of two months but the PSC will remain in effect up to the construction phase.
- 4.6. Zanele will ask the Developer , the King Cetshwayo District Municipality (KDCM) to set up a meeting with the Cllrs to respond to any possible queries. All attendees agreed of the following:
 - 4.6.1.the meeting with KDCM must present the full KwaHlokhloko scheme;
 - 4.6.2.there needs to be an introduction of the project Team to Traditional Council Leaders (Mpehlela and Zulu) and the origin of the fieldworkers must be discussed in the meetings

5. Closure

- Cllr Dlodla closed the meeting and Cllr Ntombela offered a prayer.

APPROVAL OF MEETING MINUTES

Name: Ntsebo Mkhize

Signature:

For: Terratest (Pty) Ltd

Date: 23/09/2022

Name: Zanele Mthembu

Signature:

PP

For: Luzali Holdings

Date: 23/09/2022